




**PERFORMANCE CURVES**

ANSI Centrifugal


Process Pumps

Series: **KP911M**





**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **KP911M**






**PERFORMANCE CURVES**

ANSI Centrifugal


Process Pumps

Series: **KP911M**





**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **KP911M**




LIQUID: WATER  
SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
MAX. SOLID SIZE: .625 in




**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **KP911M**






**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **KP911M**






**PERFORMANCE CURVES**  
 ANSI Centrifugal  
 Process Pumps  
 Series: **KP911M**





**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **KP911M**




LIQUID: WATER  
SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
MAX. SOLID SIZE: .750 in



**PERFORMANCE CURVES**  
 ANSI Centrifugal  
 Process Pumps  
 Series: **KP911M**




LIQUID: WATER  
 SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
 MAX. SOLID SIZE: .500 in



**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **KP911M**




LIQUID: WATER  
SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
MAX. SOLID SIZE: .500 in




**PERFORMANCE CURVES**  
 ANSI Centrifugal  
 Process Pumps  
 Series: **KP911M**





**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **KP911M**




LIQUID: WATER  
SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
MAX. SOLID SIZE: .500 in




**PERFORMANCE CURVES**  
 ANSI Centrifugal  
 Process Pumps  
 Series: **KP911M**





**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **KP911M**




LIQUID: WATER  
SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
MAX. SOLID SIZE: .750 in




**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **KP911M**





**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **KP911M**



LIQUID: WATER  
SPECIFIC GRAVITY: 1.00


TEMPERATURE: 70° F (21° C)  
MAX. SOLID SIZE: .500 in

**PERFORMANCE CURVES**

ANSI Centrifugal

Process Pumps

Series: **KP911M**




MODEL: KP911M-3/4-10H-4  
 SIZE: 3x4-10H  
 IMPELLER DIA: VARIOUS  
 RPM: 1750  
 EYE AREA: 17.50 IN<sup>2</sup>

LIQUID: WATER  
 SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
 MAX. SOLID SIZE: .940 in



**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **KP911M**




LIQUID: WATER  
SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
MAX. SOLID SIZE: .940 in



**PERFORMANCE CURVES**  
 ANSI Centrifugal  
 Process Pumps  
 Series: **KP911M**




LIQUID: WATER  
 SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
 MAX. SOLID SIZE: .875 in



**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **KP911M**




LIQUID: WATER  
SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
MAX. SOLID SIZE: .875 in



**PERFORMANCE CURVES**  
 ANSI Centrifugal  
 Process Pumps  
 Series: **KP911M**




LIQUID: WATER  
 SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
 MAX. SOLID SIZE: .940 in



**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **911M**




LIQUID: WATER  
SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
MAX. SOLID SIZE: .940 in



**PERFORMANCE CURVES**  
 ANSI Centrifugal  
 Process Pumps  
 Series: **KP911M**




LIQUID: WATER  
 SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
 MAX. SOLID SIZE: .750 in




**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **KP911M**





**PERFORMANCE CURVES**  
 ANSI Centrifugal  
 Process Pumps  
 Series: **KP911M**




LIQUID: WATER  
 SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
 MAX. SOLID SIZE: .690 in




**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **KP911M**






**PERFORMANCE CURVES**  
 ANSI Centrifugal  
 Process Pumps  
 Series: **KP911M**





**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **KP911M**



LIQUID: WATER  
SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
MAX. SOLID SIZE: .750 in




**PERFORMANCE CURVES**

ANSI Centrifugal

Process Pumps

Series: **KP911M**




LIQUID: WATER  
 SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
 MAX. SOLID SIZE: .930 in



**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **KP911M**



LIQUID: WATER  
SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
MAX. SOLID SIZE: .930 in




**PERFORMANCE CURVES**

ANSI Centrifugal

Process Pumps

Series: **KP911M**




LIQUID: WATER  
 SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
 MAX. SOLID SIZE: .500 in



**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **KP911M**



LIQUID: WATER  
SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
MAX. SOLID SIZE: .500 in




**PERFORMANCE CURVES**

ANSI Centrifugal

Process Pumps

Series: **KP911M**




LIQUID: WATER  
 SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
 MAX. SOLID SIZE: .500 in



**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **KP911M**




LIQUID: WATER  
SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
MAX. SOLID SIZE: .500 in



**PERFORMANCE CURVES**  
 ANSI Centrifugal  
 Process Pumps  
 Series: **KP911M**






### PERFORMANCE CURVES

ANSI Centrifugal

Process Pumps

Series: **KP911M**



LIQUID: WATER  
SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
MAX. SOLID SIZE: .750 in




**PERFORMANCE CURVES**

ANSI Centrifugal


Process Pumps

Series: **KP911M**






**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **KP911M**





### PERFORMANCE CURVES

ANSI Centrifugal  
Process Pumps  
Series: **KP911M**



LIQUID: WATER  
 SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
 MAX. SOLID SIZE: .940 in




### PERFORMANCE CURVES

ANSI Centrifugal

Process Pumps

Series: **KP911M**



LIQUID: WATER  
SPECIFIC GRAVITY: 1.00


TEMPERATURE: 70° F (21° C)  
MAX. SOLID SIZE: .940 in

**PERFORMANCE CURVES**

ANSI Centrifugal

Process Pumps

Series: **KP911M**




MODEL: KP911M-4/6-10-4  
 SIZE: 4x6-10  
 IMPELLER DIA: VARIOUS  
 RPM: 1750  
 EYE AREA: 24.30 IN<sup>2</sup>

LIQUID: WATER  
 SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
 MAX. SOLID SIZE: .875 in



**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **KP911M**




LIQUID: WATER  
SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
MAX. SOLID SIZE: .875 in



**PERFORMANCE CURVES**  
 ANSI Centrifugal  
 Process Pumps  
 Series: **KP911M**




LIQUID: WATER  
 SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
 MAX. SOLID SIZE: .940 in



**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **KP911M**



LIQUID: WATER  
SPECIFIC GRAVITY: 1.00


TEMPERATURE: 70° F (21° C)  
MAX. SOLID SIZE: .940 in

**PERFORMANCE CURVES**

ANSI Centrifugal

Process Pumps

Series: **KP911M**






### PERFORMANCE CURVES

ANSI Centrifugal

Process Pumps

Series: **KP911M**



LIQUID: WATER  
SPECIFIC GRAVITY: 1.00


TEMPERATURE: 70° F (21° C)  
MAX. SOLID SIZE: .750 in

**PERFORMANCE CURVES**

ANSI Centrifugal

Process Pumps

Series: **KP911M**




LIQUID: WATER  
SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
MAX. SOLID SIZE: .690 in




**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **KP911M**



LIQUID: WATER  
SPECIFIC GRAVITY: 1.00


TEMPERATURE: 70° F (21° C)  
MAX. SOLID SIZE: .690 in

**PERFORMANCE CURVES**  
 ANSI Centrifugal  
 Process Pumps  
 Series: **KP911M**





**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **KP911M**




LIQUID: WATER  
SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
MAX. SOLID SIZE: .750 in



**PERFORMANCE CURVES**  
 ANSI Centrifugal  
 Process Pumps  
 Series: **KP911M**




LIQUID: WATER  
 SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
 MAX. SOLID SIZE: .930 in



**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **KP911M**



LIQUID: WATER  
SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
MAX. SOLID SIZE: .930 in