




**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **KP911S**




LIQUID: WATER  
SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
MAX. SOLID SIZE: .500 in



**PERFORMANCE CURVES**  
 ANSI Centrifugal  
 Process Pumps  
 Series: **KP911S**




LIQUID: WATER  
 SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
 MAX. SOLID SIZE: .500 in



PERFORMANCE CURVES  
ANSI Centrifugal  
Process Pumps  
Series: **KP911S**




LIQUID: WATER  
SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
MAX. SOLID SIZE: .440 in



**PERFORMANCE CURVES**  
 ANSI Centrifugal  
 Process Pumps  
 Series: **KP911S**




LIQUID: WATER  
 SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
 MAX. SOLID SIZE: .440 in



**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **KP911S**



LIQUID: WATER  
SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
MAX. SOLID SIZE: .440 in




**PERFORMANCE CURVES**

ANSI Centrifugal

Process Pumps

Series: **KP911S**




LIQUID: WATER  
 SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
 MAX. SOLID SIZE: .440 in



**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **KP911S**




LIQUID: WATER  
SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
MAX. SOLID SIZE: .440 in




**PERFORMANCE CURVES**  
 ANSI Centrifugal  
 Process Pumps  
 Series: **KP911S**





**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **KP911S**



LIQUID: WATER  
SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
MAX. SOLID SIZE: .560 in




**PERFORMANCE CURVES**

ANSI Centrifugal

Process Pumps

Series: **KP911S**




LIQUID: WATER  
 SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
 MAX. SOLID SIZE: .440 in



**PERFORMANCE CURVES**  
ANSI Centrifugal  
Process Pumps  
Series: **KP911S**



LIQUID: WATER  
SPECIFIC GRAVITY: 1.00

TEMPERATURE: 70° F (21° C)  
MAX. SOLID SIZE: .440 in