


2HP SUBMERSIBLE GRINDER PUMP

GENERAL		MOTOR DATA	
Pump Model	KHHG2	HP / Power Supply	2HP / 1 ϕ , 60 Hz
		Full Load Amps 208V	28 Amps
PUMP DATA		Start Amps 208V	100 Amps
Date	09/2022	Full Load Amps 230V	25 Amps
Discharge Flange	1-1/4" NPT, Horizontal or Vertical	Start Amps 230V	89 Amps
Grinder Construction	Stainless Steel	Full Load Amps/ Start Amps 240V	9 Amps/ 45 Amps
Grinder Hardness	58 - 60 Rockwell	Poles / Rated Speed	2 P / 3450 rpm
Impeller Type	Semi - Open	Insulation Class	N Class
SINGLE PHASE/ THREE PHASE	START KIT SK-KG5 includes: Start & Run Capacitors, Relay, and Mounting Hardware	Start Capacitor	216 ufd, 250 VAC
		Run Capacitor	20 ufd, 370 VAC

PERFORMANCE CURVE




MODEL (HIGH FLOW RADIAL CUTTER)	HP	VOLTS	PHASE	NEC CODE	SERVICE FACTOR	FULL LOAD AMPS	START AMPS	FULL LOAD KW	FULL LOAD KVA
KHHG2-2001	2	208	1	G	1.0	28.0	100.0	4.95	7.00
KHHG2-2301	2	230	1	G	1.0	25.0	89.0	4.89	7.18
KHHG2-2401	2	240	1	G	1.0	9.0	45.0	4.89	7.18
KHHG2-2003	2	208	3	H	1.0	21.0	105.0	6.43	7.56
KHHG2-2303	2	230	3	H	1.0	18.0	90.0	6.10	7.17
KHHG2-4603	2	460	3	H	1.0	9.0	45.0	6.10	7.17

2HP SUBMERSIBLE GRINDER PUMP

GENERAL		MOTOR DATA	
Pump Model	KHHG2H	HP / Power Supply	2HP / 1 ϕ , 60 Hz
PUMP DATA		Full Load Amps 208V	42 Amps
Date	09/2022	Start Amps 208V	148 Amps
Discharge Flange	1-1/4" NPT, Horizontal or Vertical	Full Load Amps 230V	40 Amps
Grinder Construction	Stainless Steel	Start Amps 230V	142 Amps
Grinder Hardness	58 - 60 Rockwell	Full Load Amps/ Start Amps 240V	12.5 Amps/ 44 Amps
Impeller Type	Semi - Open	Poles / Rated Speed	2 P / 3450 rpm
SINGLE PHASE/ THREE PHASE	START KIT SK-KG5 includes: Start & Run Capacitors, Relay, and Mounting Hardware	Insulation Class	N Class
		Start Capacitor	216 ufd, 250 VAC
		Run Capacitor	20 ufd, 370 VAC

PERFORMANCE CURVE



MODEL (HIGH HEAD RADIAL CUTTER)	HP	VOLTS	PHASE	NEC CODE	SERVICE FACTOR	FULL LOAD AMPS	START AMPS	FULL LOAD KW	FULL LOAD KVA
KHHG2H-2001	2	208	1	G	1.0	42.0	148.0	7.43	8.74
KHHG2H-2301	2	230	1	G	1.0	40.0	142.0	7.82	9.20
KHHG2H-2003	2	208	3	H	1.0	29.0	106.0	8.88	10.45
KHHG2H-2303	2	230	3	H	1.0	25.0	88.0	8.47	9.96
KHHG2H-4603	2	460	3	H	1.0	12.5	44.0	8.47	9.96